

Peasant Blouse & Dress TINI



glitzerblume.de Design



Cut all pattern pieces according to the piece list, adding a seam allowance. In addition, cut a strip of single-fold bias tape for the neckline facing.

Cut the sleeves as you desire.

Finish all piece edges with overcast zig zag stitch or four-thread overedge stitch.



Hem the sleeves. Alternatively, stitch a casing at the hem and insert elastic. Cinch the fabric over the elastic to the desired fit.

Right sides together, stitch both sleeves to the front piece. Stitch one sleeve to the back piece. The 4th raglan sleeve seam will remain open for the meantime.




Press the seam allowances towards the bodice and topstitch from the right side.



Unfold one fold of the bias tape and pin to the neckline. Stitch the bias tape to the neckline along the fold such that both edges align, right sides together.



Fold the neckline bias tape upwards. Now close the fourth raglan seam, including the neckline facing, and topstitch as well.



Fold the neckline bias tape facing inside and topstitch at a distance of approx. 1 cm (½ in.) to the edge. In doing so, leave an approx. 3 cm (1 ¼ in.) opening for inserting the elastic.



Insert elastic and cinch the neckline to the desired fit. Stitch the ends of the elastic securely with a bar tack. Tuck in the elastic and close the casing opening.



Stitch the lower bodices pieces to the upper bodice, right sides together.

For a dress, stitch the narrow edges of the flounce pieces right sides together. Gather the upper edge and attach to the bodice. Finish the seam, press the seam allowance toward the upper bodice and topstitch from the right side.



Close the side seams. If you have chosen the short sleeve version, close the side seams and the sleeve seams in one continuous movement.

Hem the top.

Your TINI is complete!